

# STAKEHOLDER CONSULTATION AND ENGAGEMENT REQUIREMENTS

Publication Date dd/mm/yyyy2022

Version 2.0

Next Planned Update dd/mm/<del>yyyy2022</del>

Contact Details The Gold Standard Foundation Chemin de Balexert 7-9 1219 Châtelaine International Environment House 2 Geneva, Switzerland Tel: +41 22 788 70 80 Email: <u>standards@goldstandard.org</u>

## **SUMMARY**

The aim of the stakeholder consultation is to meaningfully engage stakeholders and discuss potential environmental, social and economic impacts (both positive contributions and potential risks) that projects may have during the design, planning, implementation and operational stages of the project and to establish <u>an</u> ongoing mechanism for feedback in consultation with stakeholders. This document specifies the requirements for stakeholder consultation and engagement for projects seeking certification under GS4GG. To assist project developers, the detailed guidelines are provided in the <u>Stakeholder Consultation and Engagement Guidelines</u>."

Fig 1 presents a schematic diagram of <u>a</u> stepwise approach for conducting stakeholder consultation and establishing continuous input and grievance mechanism.

**Gold Standard** 

*Climate Security and Sustainable Development* 




Figure 14 – A diagrammatic representation of the steps involved in stakeholder consultation and engagement

#### Please note:

- Project inception -is not the same as the project start date. For a definition of the project start date, please refer to: Principle 4: Demonstration of real outcomes: (a) PROJECT START DATE.
- 2. The sequence of events depicted in the figure above is for illustration purposes only. A few steps may vary (or run in parallel parallelly as well) depending upon the project type (such as retroactive projects). As an example, please refer to para 3.6.13 | below3.6.13 | below3.6.13 below.

# **TABLE OF CONTENTS**

SUMMARY 1			
TABLE OF CONTENTS			
1  SCOPE, APPLICABILITY AND ENTRY INTO FORCE 4			
1.1   Scope4			
1.2   Applicability4			
1.3   Entry into force4			
2  DEFINITIONS 4			
3  REQUIREMENTS 5			
3.1   General overview5			
3.2   Timing of Stakeholder Consultation6			
3.3   Minimum group of stakeholders to be consulted			
3.4   Means of inviting stakeholders <u>8</u> 7			
3.5   Information to be made available to stakeholders <u>8</u> 7			
3.6   Physical meeting(s) and feedback round <u>98</u>			
a. Physical meeting <u>9</u> 8			
b. Feedback round			
3.7   Consideration of comments received <u>1110</u>			
3.8   Continuous input and grievance mechanism			
3.9   Stakeholder consultation documentation			
3.10   Ongoing Reporting <u>1211</u>			
4  POA REQUIREMENTS			
4.1   General requirements			
a. PoA level Consultation			
4.2   Objective of PoA design consultation			
4.3   Timing of PoA Design Consultation			
4.4   Minimum group of stakeholders to be consulted			
4.5   Means of inviting stakeholders			
4.6   Information to be made available to stakeholders			
4.7   Consideration of comments received			
4.8   PoA design consultation documentation			
b. VPAs level Consultation <u>15<del>1</del>4</u>			
4.9   Requirements			
5  EXPERT STAKEHOLDER ENGAGEMENT 1615			
DOCUMENT REVISION HISTORY			

## **1** SCOPE, APPLICABILITY AND ENTRY INTO FORCE

## 1.1 | Scope

1.1.1 | This document sets out the requirements for stakeholder consultation and engagement corresponding to the Gold Standard for Global Goals (GS4GG) <u>Principles and Requirements</u>.

## 1.2 | Applicability

1.2.1 | The requirements specified in this document apply to all <u>pP</u>roject<u>s activities</u> for which Project Developer/Coordinating and Managing Entity (CME) seeks certification under GS4GG.

## 1.3 | Entry into force

1.3.1 | This document comes into force on dd/mm/yyyy.

# **2**| **DEFINITIONS**

- 2.1.1 | In addition to definitions contained in GS4GG <u>Glossary of terms</u>, the following definitions apply to this document:
  - a. Expert stakeholder refers to the individuals that hold specific expertise or knowledge about the organisationorganisation, process, or activity being audited and/or about the context and practices to which the project is applied. For the purposes of GS4GG, a<u>A</u> Stakeholder is considered an expert if they expert holds over 10 years of relevant, contextually specific professional, academic or practical experience in a given topic. Higher academic qualifications are preferred but can be justified as not required if necessary.
  - b. Marginalised individuals and groups\_<u>Left behind groups</u> refer to the section of society that experiences exclusion (social, political and economic), discrimination and, for whatever reason, are unable to participate in the mainstream economic, political, cultural and social activities. A few most common marginalised groups are women, youth, poor communities, informal sector workers, ethnic minorities, indigenous peoples, disabled or elderly people, and members of the LGBTQ community.
  - c. **Meaningful consultation** refers collectively to meaningful consultation and participation in a two-way process that:
    - is ongoing and iterative throughout the project cycle, starting as early as possible, and
    - ensures that different categories of stakeholders are represented and involved, and
    - is equitable and non-discriminatory, and ensure that poorer or more vulnerable parts of the affected stakeholders are given a voice, and

## Gold Standard

**Commented [GS2]:** For comms 90 days from publication

- is transparent and based on factual information, including about the scope of consultation and ability of stakeholders to influence project decisions, and
- encourages stakeholder feedback and engagement in the project development, design and implementation process, and
- is based on the prior disclosure and dissemination of relevant, transparent, objective, meaningful and easily accessible information in a timely manner and culturally appropriate format, and
- considers and responds to feedback, and
- is free of external manipulation, interference, coercion, discrimination, and-intimidation, and
- is systematically documented and relevant aspects of it is are disclosed publicly in a transparent manner.
- d. **Relevant stakeholder** is a collective term for local, affected, interested and expert stakeholders.
- e. **Stakeholder consultation** is a broad term that covers processes involving stakeholder <u>Stakeholder</u> identification, Stakeholder <u>e</u>Engagement planning, disclosure of information, consultation and participation, monitoring, evaluation of feedback and, addressing grievances, throughout the project life.
- f. Stakeholder refers to individuals, groups or institutions that have a stake, or an interest in the project activity that may be affected by it (either positively or negatively) or they may have an interest in it and be in a position to influence its outcomes such as local communities, Indigenous Peoples, civil society organisations, and private sector entities, comprising women, men, girls and boys. They can include, among others, relevant ministries, local governments, and locally affected people, national and local NGOs, communityCommunity –based Based organisations, women's groups, private sector companies, farmers, and research institutions.

## **3 REQUIREMENTS**

#### 3.1 | General overview

- 3.1.1 | The objective of the stakeholder consultation and engagement process is:
  - a. to identify, engage and consult stakeholders in a meaningful manner to improve project design and its outcomes, and
  - b. to inform stakeholders about the projects and discuss it's likely impacts (both positive and negative) during the design, planning and implementation stage and relevance to stakeholders, and
  - c.\_\_to establish an ongoing engagement process for stakeholders to provide input, feedback and to raise concerns throughout the project life.

- e-3.1.2 All Gold Standard projects shall take gender issues into account in their design, planning, implementation of the project. This requires project developers to ensure that gender issues are fully factored into comprehensive social and environmental impact assessments and that equal and effective participation of both women and men in stakeholder consultation is ensured. Therefore, all projects submitted for Gold Standard certification shall meet GENDER SENSITIVE requirements (Step 1-3 of Gender Equality requirements and guidelines) AND shall adhere to the Gender Principles as established in the Gold Standard Gender Policy.
- 3.1.2 | All Gold Standard projects shall take gender issues into account in their design, planning, implementation of the project. This requires project developers to ensure that gender issues are fully factored into comprehensive social and environmental impact assessments and that equal and effective participation of both women and men in stakeholder consultation<sup>1</sup> is ensured. Therefore, all projects submitted for Gold Standard certification shall meet GENDER SENSITIVE requirements (Step 1-3 of Gender Equality requirements and guidelines) AND shall adhere to the Gender Principles as established in the Gold Standard <u>Gender Policy</u>.
- 3.1.3 | The Stakeholder consultation shall comprise of a minimum <u>of</u> two rounds of consultations including one mandatory physical meeting and one stakeholder feedback round lasting for at least one month. The following sections outlines the requirements applicable at different stages of the consultation procedure.

#### 3.2 | Timing of Stakeholder Consultation

<u>3.2.1</u> The Stakeholder Consultation shall be conducted before the start date <u>Project</u>. For a definition of project start date, please refer to: Principle 4: <u>Demonstration of real outcomes: (a) PROJECT START DATE.</u>

**Commented [AG3]:** All the footnote numbering is haywire.

**Commented [GS4R3]:** Will get resolved automatically in the clean version.

3.2.1

<sup>4</sup> To ensure equal and effective participation, the project developer can reach to wide range of community representative. These legitimate stakeholder/community representatives could be, but are not limited to: elected representatives of regional, local, traditional representatives, such as leaders (chairmen, directors) of local cooperatives, other community-based organisations, local businesses/business groups, local NGOs, and local women's groups, politicians and local government officials, school teachers, and religious leaders

<sup>2</sup>-For a definition of project start date, please refer to: Principle 4: Demonstration of real outcomes: (a) PROJECT START DATE.

<u>+ For a definition of project start date, please refer to: Principle 4: Demonstration of real</u>
 <u>outcomes: (a) PROJECT START DATE.</u>

- 3.2.2 | If the Stakeholder\_-Consultation is conducted after the start date of the project (retroactive project)<sup>45</sup>, the project developer shall:
  - a. provide <u>justification clarification on</u> why the stakeholder is not conducted before the project start date, and
  - b.-conduct consultation with relevant stakeholders as early as possible, and

#### <u>b.</u>

3.2.3 |c. provide further explanation of how comments received during the consultation were taken into account in the design and implementation of the project.

## 3.3 | Minimum group of stakeholders to be consulted

- 3.3.1 | The Project Developer shall identify and invite all relevant (local, affected and interested) stakeholders for consultations and comments, including, but not limited to, as mentioned below:
  - Local people, communities and/or <u>representatives <sup>6</sup>who</u> are expected to be directly or indirectly affected (adversely affected or beneficiaries) by the project or may have an interest in the project
  - b. Stakeholders with land-tenure rights within or adjacent to the project and marginalized marginalised individuals and groups
  - c. Local policymakers and representatives of local authorities
  - <u>d.</u> National government officials or National focal Focal bodies Pointresponsible for the project in the host country, for example, Designated National Authority (DNA) or equivalent body< https://cdm.unfccc.int/DNA/bak/index.html>
  - <u>e.</u> Local non-governmental organisations (NGOs), Women Groups working on topics relevant to the project or working with communities who are likely to be affected by the project
  - <u>f.</u> Gold Standard representative at <<u>help@goldstandard.org</u>>
  - g. Relevant international Gold Standard NGO Supporters with representation in the region and all Gold Standard NGO Supporters located in the host country of the project. <<u>https://www.goldstandard.org/about-us/ngo-</u> <u>supporters</u>>

 <sup>&</sup>lt;u>A Refer to Principle and Requirements and/or applicable activity</u> requirements to confirm eligibility of a retroactive project with regards to the timing of first submission to Gold Standard.
 <u>S Refer to Principle and Requirements and/or applicable activity</u>

requirements to confirm eligibility of a retroactive project with regards to the timing of first submission to Gold Standard.

clinate Security and Sustainable Development

#### CORE DOCUMENT-

-3.3.2 The Project Developer shall provide evidence that invitations were sent and comments were invited from the relevant stakeholders, at minimum, the stakeholders listed in paragraph 3.3.1 above3.3.1 above2. For cases where any of the stakeholders listed in paragraph 3.3.1 above3.3.1 above2.3.1 above2.3.

#### 3.4 | Means of inviting stakeholders

3.4.1 | The project developer shall invite stakeholders in an open and transparent manner - that provides equal opportunity to each stakeholder to participate in stakeholder meeting and provide feedback.

## 3.4.1

3.4.2 | The project developer shall invite the stakeholders at least 30 days before the physical meeting by:

#### 3.4.2

 a. selecting an appropriate invitation method considering the context of the project, stakeholders, local and national circumstances, and

#### <u>a.</u>

-using an appropriate language and measures, and adequate and effective means.

#### <del>a.<u>b.</u></del>

-The project developer shall ensure that the stakeholders are invited in a gender-sensitive manner. Efforts shall be made to solicit input from women and marginalised groups.

## 3.4.3 |

3.4.4 | The stakeholder consultations shall be open to anyone wishing to attend, participate and the project developer shall not deny anyone access to the consultation.

#### 3.5 | Information to be made available to stakeholders

- 3.5.1 | Prior to the physical meeting, the project developer shall share information in a manner (format, medium, language(s), etc.) that allows local stakeholders to understand – how the project is likely to affect them. The information to be made available to stakeholders shall include, inter alia:
  - a. A non-technical summary of the <u>Projectproject</u>, including information on project design, technology, objectives, scale, duration, and implementation plan (so far as known) and how it is likely to affect the various stakeholder groups.
  - Summary of the economic, social and environmental impacts of the project as per Safeguarding Principles & Requirements, along with potentially known positive and negative impacts of the Project.

- c. Summary of likely contributions of <u>the</u> project to Sustainable Development Goals (SDGs).
- d. Other relevant information to help stakeholders understand the project design, implementation and operation.
- e. A preliminary agenda for the event <u>summarizing summarising</u> the different topics that will be discussed in the physical meeting.
- f. Contact details of a Project Developer's representative to get further information.
- g. Means and method to provide further feedback for those who are not able to join the physical meeting
- 3.5.2 | The timing of when prior information should be provided varies depending on the nature of the project and the local context. At a minimum, prior information shall therefore be provided at least a week in advance before the planned physical meeting. In some situations, such as projects entailing higher risk affecting Indigenous Peoples, more time may be needed.

#### 3.6 | Physical meeting(s) and feedback round

- 3.6.1 | The stakeholder consultation shall comprise of a minimum of two rounds of consultations including:
  - a. mandatory physical meeting with local stakeholders, and
  - b. stakeholder feedback round lasting for at least one\_month<u>30 days</u>
     Feedback sought with regards to reducing duration of stakeholder
     Feedback round to 30 days (or another appropriate duration)

#### a. Physical meeting

- 3.6.2 | The objective of the physical meeting is to inform the relevant stakeholders of the project details and ensure that stakeholders are provided with an opportunity to influence project design, implementation and operation by interacting with the project developer (and also amongst each other) and exchanging views and concern(s) in a free and transparent manner.
- 3.6.3 | The project developer shall cover <u>the</u> following key <u>points aspects</u> during <u>the</u> physical meeting(s):
  - a. summary of project information as per para <u>-3.5.13.5.1 | above3.5.1 |</u> above, above,

<sup>7</sup> The stakeholder consultation Rounds may be combined in retroactive consultations, please see para 3.6.7 below.

**Commented [GS6]:** Could we add exact para in footnote??

**Commented [CW7]:** Changed to 30 days to be consistent with how we communicate our consultations.

- ensure that at a minimum, the discussion covers stakeholder's perceptions and expectations about project benefits and potential adverse impacts; how adverse impacts may be avoided and <u>minimized\_minimised\_and</u> what the appropriate mitigation mechanisms may be,
- c. potential options for input & feedback and grievance mechanism (refer to Stakeholder Consultation and Engagement Guidelines for details)
- d. information on next steps and contact details
- 3.6.4 | The project developer shall ensure that the place and timing of the physical meeting(s) is appropriate for all relevant stakeholders and does not pose a barrier to participation, e.g. for a particular gender or stakeholder group.
- 3.6.5 Where necessary, other means and approaches that are appropriate for local and national circumstances (and those of the Project) can be used to conduct physical meetings. For example, if a project covers a large geographical area, instead of one physical meeting, the project developer should organise several physical meetings at different locations, to ensure that as many stakeholders as possible can participate. Other examples could be smaller workshops and seminars, focus groups, round table meetings etc.
- 3.6.6 | For a retroactive project<sup>8</sup>, the project developer shall conduct, at a minimum, <u>a physical meeting before project submission for preliminary review.</u>
- 3.6.6 | For a retroactive project, the project developer may conduct the physical meeting(s) combined with the stakeholder feedback round where the physical meeting has not taken place as a part of any previously held stakeholder consultation(s). However, the project developer shall conduct this combined consultation before project submission for preliminary review. Special attention must be paid to take into account stakeholder feedback and modify project design, where reasonable. A combined consultation shall ensure compliance with all the requirements outlined in this document. For a retroactive project<sup>9</sup>, the project developer shall conduct, at a\_minimum, a physical meeting before project submission for preliminary review. Special attention must be paid to the fact that the projects must take into account stakeholder, where reasonable.

<sup>&</sup>lt;u>8 Retroactive project - the project for which stakeholder consultation is conducted after project start date.</u>
<u>9 Retroactive project - the project for which stakeholder consultation is conducted after project start date.</u>

chinate Security and Sustainable Development

#### CORE DOCUMENT-

- 3.6.7 | For a retroactive project, the project developer may conduct the physical meeting(s) with the stakeholder feedback round. However, <u>the project</u> developer shall conduct combined consultation before project submission for preliminary review. In such cases, the project developer shall ensure compliance with all the requirements outlined in this document.
- 3.6.8 | The project developer shall encourage equal and effective participation by both men and women, <u>marginalized marginalised</u> individuals and groups in the meetings.

#### b. Feedback round

- 3.6.9 | The project developer shall provide feedback to the stakeholders on how comments received in <u>the physical meeting(s)</u> have been considered and seek further comments from stakeholders.
- 3.6.10 |All stakeholders invited to participate in <u>the physical meeting(s)</u> shall be invited to provide feedback during the stakeholder feedback round.
- 3.6.11 |The project developer shall share the updated project documentation with stakeholders for thirty days via publicly accessible methodsmeans i.e., easily accessible online or other means for example such as publicly accessible website, online platform or others publicly accessible means. It shall include details on procedure & contact details for submission of further comments.
- 3.6.12 |At the end of the stakeholder feedback round, <u>the Project project dD</u>eveloper shall consolidate all the comments received during the feedback round.
- <u>3.6.13</u> The project developer may organise the Stakeholder Feedback Round in parallel to the validation process, however before concluding the validation opinion, the VVB shall take into account the feedback and how the comments were addressed and any potential revision in the project design and documentation.

#### 3.7 | Consideration of comments received

- 3.7.1 | The project developer shall ensure that all the comments received during the consultations i.e., physical meetings and Stakeholder Feedback Round are well documented in the form they are received i.e. with minimum interpretation and without tempering with the spirit and intent of the comment.
- 3.7.2 | The project developer shall include details with justifications, as applicable in Stakeholder Consultation Report on how stakeholder comments have been taken into account. The Project Developer shall provide justification when any comments have not been incorporated or addressed.
- 3.7.3 I If the project developer receives stakeholder comments after the listing of the project at the Gold Standard Impact Registry (after preliminary review), through any channel, and before Validation, the Project Developer shall consider such comments and make suggested changes (if required) before the conclusion of validation.

#### 3.8 | Continuous input and grievance mechanism

- 3.8.1 | All projects shall set\_up a formal input & feedback, and grievance mechanism with the purpose of providing stakeholders with an opportunity to submit any feedback or record concerns/grievances during the entire project lifetime.
- 3.8.2 | The project developer shall discuss in the physical meeting potential options for ongoing feedback & input and grievance mechanism and agree on an appropriate method.
- 3.8.3 | At a minimum, <u>the</u> Continuous Input and Grievance Expression Process book shall be made available at an agreed location. Refer to detailed guidelines available in the <u>Stakeholder Consultation and Engagement Guidelines</u>.
- 3.8.4 | The continuous input and grievance mechanism agreed with stakeholders shall be described in the Stakeholder Consultation Report.
- 3.8.5 | The project developer shall record all comments, inputs or concerns raised by the stakeholders using <u>the agreed mode of continuous feedback or any other</u> form (such as verbally, telephonically, via email and/or through <u>representatives</u>). The project developer shall send a written acknowledgement to the stakeholder, except if the comment is anonymous.
- 3.8.6 | The project developer shall keep the stakeholder(s) informed of the measures taken in <u>the</u> context of the comment(s) raised.

#### 3.9 | Stakeholder consultation documentation

- 3.9.1 | The project developer shall use the <u>Stakeholder Consultation Report template</u> to document all the steps taken to meet the requirements presented in this document and provide evidence to demonstrate compliance.
- 3.9.2 | The stakeholder consultation report shall be submitted to Gold Standard within three months of the first physical meetingat the time of <u>1</u>stfirst submission (preliminary review).

#### 3.10 | Ongoing Reporting

- 3.10.1 |Project developer shall provide information in the annual report and monitoring report, as applicable, on the following:
  - a. Concerns that have been identified during the period of project implementation and raised by stakeholders during the stakeholder consultations and the mitigation measures put in place to address those.
  - b. Any feedback given by stakeholders as part of the project's grievance mechanism.
- 3.10.2 |Any stakeholder comments received after the Validation of the Project and action taken to address the comments<sub>7</sub> shall be reported at minimum, at the time of next Verification or earlier as part of <u>the</u> annual report. If the project undergoes a combined Validation/Verification (Design and Performance Certification), the comments shall be reported at the time <u>of</u> the subsequent <u>v</u>Verification or annual reporting (whichever is earlier).

## **Gold Standard**

**Commented [GS9]:** Now that different template are available we can ask Ema to have one page for stakeholder templates and list all on one page as we have to transition template for CDM projects.

## 4 POA-SPECIFIC REQUIREMENTS

#### 4.1 | General requirements

4.1.1 | For PoAs, the CME shall conduct the stakeholder consultation at both:

- a. PoA level i.e., PoA Design Consultation (The PoA design consultation does not necessarily require a physical meeting), and
- b. VPA level i.e., real case & corresponding-regular VPA level consultations

#### a. PoA level Consultation

#### 4.2 | Objective of PoA design consultation

4.2.1 | The PoA Design Consultation is mandatory and is conducted to obtain feedback on <u>the</u> design of <u>the</u> proposed PoA from governments, relevant national authorities, NGO communities, and other relevant stakeholders.

#### 4.3 | Timing of PoA Design Consultation

4.3.0 | The CME shall conduct the PoA design consultation before the time of <u>the</u> first submission<sup>10</sup> to Gold Standard for Preliminary Review.

#### 4.4 | Minimum group of stakeholders to be consulted

4.4.0 |4.4.1 | The CME shall identify and invite comments from all relevant stakeholders, including, but not limited to, as mentioned below;

- a. Local policymakers and representatives of local authorities
- b. National government officials or National focal Focal bodies responsible for the project in the host countryPoint, for example, Designated National Authority (DNA) <-https://cdm.unfccc.int/DNA/bak/index.html>
- c. Local non-governmental organisations (NGOs), Women Groups working on topics relevant to the project or working with communities who are likely to be affected by the project
- d. Gold Standard representative at <<u>help@goldstandard.org</u>>
- e. Relevant international Gold Standard NGO Supporters with representation in the region and all Gold Standard NGO Supporters located in the host

<sup>&</sup>lt;sup>10</sup> Retroactive VPAs with a project start date before or after the time of first submission of the PoA must submit the required documents for preliminary review within one year of its start date. Retroactive VPAs that are submitted at a date later than one year from the VPA start date will not be eligible for Gold Standard Certification.

country of the project. <<u>https://www.goldstandard.org/about-us/ngo-</u> supporters>

- 4.4.1 |4.4.2 | The CME shall provide evidence <u>that</u> the relevant stakeholders, at minimum, the stakeholders listed in paragraph 3.3.1 | above4.4.1 | above were invited to provide comments on <u>the</u> design of <u>the</u> proposed PoA. For cases where any of the stakeholders listed in <u>para</u> 3.3.1 | above4.4.1 | above, were not invited, the CME shall provide a justification.
- 4.4.2 <u>4.4.3</u> In the case of multi-country PoA, the CME may conduct one PoA design consultation per host country or combined <u>PoA</u> design consultation for all countries.

#### 4.5 | Means of inviting stakeholders

4.5.0 [4.5.1 ] The CME shall may employ any appropriate means (physical meeting(s) or remote meeting(s) or feedback via electronic means or other appropriate means) for stakeholder engagement for PoA during design consultation. The PoA design consultation does not necessarily require a physical meeting. The CME shall justify the appropriateness of the employed method in the context oftake into account the engagement requirements mentioned in section Section 3.4 | above 3.4 | above 3.4 above.

4.5.1 |4.5.2 | The CME shall invite comments on PoA Design by;

- a. selecting the most appropriate invitation method considering the <u>mode of</u> <u>PoA design consultation</u>, -context of the PoA, stakeholders, local and national circumstances, and
- b. using <del>an</del> appropriate language, and adequate and effective measures and means.
- 4.5.2 |4.5.3 |
   In the case of multi-country PoA, if combined PoA design consultation is organised, the CME shall ensure that all relevant stakeholders as listed in para

   4.4.1 | above4.4.1 | above
   above

   from each host country are invited.

#### 4.6 | Information to be made available to stakeholders

- 4.6.0 <u>4.6.1</u> To ensure that relevant stakeholders understand the PoA objective, design and likely impacts thus enabling stakeholders to influence and improve the PoA design and implementation, the CME shall share the key PoA information with stakeholders, including but not limited to:
  - a. the PoA's objective, entities involved, geographical boundary, duration, implementation plan, details of the technology/measures to be implemented under the PoA, and
  - b. interaction with other similar initiatives/programmes in overlapping geographical boundaries, and
  - c. target end end-users (as applicable), and
  - d. contribution to SDGs and compliance with safeguards, and
  - e. other planned consultations (e.g. at VPA level)

- f. any other relevant information
- 4.6.1 <u>4.6.2</u> In <u>the</u> case of multi-country PoA, if combined PoA design consultation is organised, the CME shall ensure that key PoA information per host country is provided in <u>a</u> clear and transparent manner.

4.6.2 4.6.3 The CME shall;

- make key PoA information available via physical (hard copies) or electronic means (emails or other publicly accessible electronic means) to stakeholders, and
- b. provide sufficient time (at minimum 30 days) to stakeholders to provide comments
- 4.6.3 <u>4.6.4</u> In case, the CME organises physical meeting(s) for PoA design consultation, the key PoA information shall be shared with stakeholders at least a week in advance before the planned physical meeting.

#### 4.7 | Consideration of comments received

- 4.7.0 <u>4.7.1</u> The CME shall document all the comments received during the PoA design consultation(s) with minimum interpretation and without tempering with the spirit and intent of the comment.
- 4.7.1 |4.7.2 | The CME shall include details in the PoA design cConsultation rRreport on how stakeholder comments are taken into account and summaries changes, if any, following the stakeholder feedback received. The CME shall provide justification when any comments have not been incorporated or addressed.

#### 4.8 | PoA design consultation documentation

4.8.0 <u>4.8.1</u> The CME shall submit the PoA design consultation report within three months of the PoA design consultation period is over<u>at</u> the time of the first submission to the Gold Standard (Preliminary Review).

## b. VPAs level Consultation

#### 4.9 | General rRequirements

- 4.9.0 | For VPA level consultation, the CME shall conduct two rounds of consultation viz. a physical stakeholder consultation and a stakeholder feedback round. For VPA level consultation, the CME must shall follow the requirements specified for project project-level consultation under Section 3] REQUIREMENTS, abovesection 3, above.
- 4.9.2 A separate stakeholder consultation shall be organised for each real case VPA proposed to be included in the PoA.
- 4.9.1 [4.9.3]
   The CME shall submit the stakeholder consultation report for real

   case VPA at the time of ±stfirst submission (i.e., Preliminary review of real

   case VPA).

- 4.9.2 4.9.4 A single stakeholder consultation i.e., grouped stakeholder consultation may be organised for <u>real case VPA and/or</u> several corresponding <u>regular</u> VPA(s). The CME may conduct a grouped stakeholder consultation as long as the proposed VPAs;÷
  - a. correspond to the same real case VPAs, and
  - b. are to be implemented within the same host country, and
  - c. are to be implemented within the geographical boundary, applicable to the group defined for <u>a</u> single consultation. The applicable geographical boundary is defined at the time of <u>the</u> first physical meeting of the specific grouped consultation, and
  - d. are included in the PoA within two years of the first physical meeting conducted for grouped consultation.
- 4.9.3 |4.9.5 | When grouped stakeholder consultation is conducted, the CME shall:
  - a. clearly describe the geographical boundary of grouped stakeholder consultation, and
  - b. invite relevant stakeholders for <u>a physical meeting(s)</u> and stakeholder feedback round accordingly
  - c. inform the stakeholders about the validity period of grouped stakeholder consultation (i.e., two years from the first physical meeting) and CME's implementation plan for the development of VPAs.
- 4.9.5 4.9.7 For all corresponding VPAs that <u>are are part of included via</u> grouped stakeholder consultation, the CME should during monitoring gather feedback from local stakeholders – primarily <u>end end</u>users and impacted stakeholder groups on the project implementation and its impacts, on a sample basis as part of <u>the</u>ongoing feedback mechanism.
- 4.9.6 <u>4.9.8</u> The Gold Standard reserves the right to enforce <u>new</u> stakeholder consultation(s) for <u>regular</u> VPAs that are included via grouped stakeholder consultation, at the time of inclusion.
- 4.9.7 <u>4.9.9</u> A grievance mechanism shall be established and made available for each VPA of a PoA.

## 5 EXPERT STAKEHOLDERS ENGAGEMENT

5.1.1 | In addition to seeking the views of relevant (interested and affected) stakeholder inputs, certain Safeguarding Principles and SDG Impacts may require the opinion and recommendations of Expert Stakeholders. These are stated in specific <u>Activity Requirements</u> or <u>in-the Safeguarding Principles &</u> <u>Requirements</u>. The Project shall demonstrate how the opinions and

clinate Security and Sastamable Development

#### CORE DOCUMENT-

recommendations of Expert Stakeholders are incorporated into the project design. The feedback from Expert Stakeholders may be sought any time during the project design and consultations, but it is recommended that they are sought during the planning phase of consultation.

- 5.1.2 Where a given Safeguarding Requirement, SDG Impact or other topic requires the input of independent Expert Stakeholder(s), this appointment shall be made directly by the project developer. A signed statement from the appointed Expert Stakeholders confirming that they have no conflict of interest or other financial interest in the Project, project developer or associated organisations shall be provided to Gold Standard.
- 5.1.3 | Expert Stakeholders are not necessarily required to attend face-to-face consultation meetings but must be provided with sufficient information to form opinions and recommendations concerning the Project. Unedited written feedback from Expert Stakeholder(s) along with evidence as to how the feedback has been addressed and incorporated into the Project design shall be provided for Validation.

# DOCUMENT <u>REVISION</u> HISTORY

Version	Date	Description
2.0	<u>Dd/mm/2022</u>	<ul> <li>Consultation requirements for PoAs added</li> <li>Editorial changes</li> <li>Revision in the requirements of the stakeholder consultation documentationVVB requirements added</li> <li>Revision in the minimum duration of stakeholder feedback round</li> <li>Expert stakeholder engagement requirements added</li> </ul>
1.2	23/10/2019	NA
1.1	01/03/2018	NA
1.0	01/07/2017	Initial adoption