

FORM

FORM - DEVIATION REQUEST SUBMISSION

PUBLICATION DATE: 12/11/2024

VERSION: 6.0

NEXT PLANNED UPDATE: 12/11/2026

RELATED DOCUMENTS

– [Deviations Approval Requirements and Procedures](#)

CONTACT DETAILS

The Gold Standard Foundation
International Environment House 2
Chemin de Balxert 7-9
1219 Châtelaine Geneva, Switzerland
Tel +41 22 788 70 80
Email help@goldstandard.org

1| General Guidelines

1.1 | Applicability

- 1.1.1 | This form is to be completed for projects (project activities/PoAs/VPAs) seeking deviation or is/are at a risk of deviating from any [applicable requirements](#), GS4GG-specific requirements listed in the applicable [Methodologies](#) or any other deviations occurring in any of the various aspects of the project.
- 1.1.2 | Refer to the latest version of [Deviation Request Requirements and Procedures](#) for detailed information on the procedures and requirements.
- 1.1.3 | This form can be used in the following instances i.e.,
 - a. Deviation from GS4GG requirements and/or applicable methodologies prior to submission for certification with GS4GG.
 - b. Temporary changes to a certified project - which include changes from the registered monitoring plan, the applied methodologies or other standard documents - that are expected **not** to occur beyond a given monitoring period.
- 1.1.4 | For any permanent changes to a design certified project, the requirements set in [Design Change Approval Requirements and Procedures](#) shall be followed.

2| Submission of deviation form

- 2.1.1 | This form shall be submitted in Microsoft Word (.doc) format to Gold Standard at deviations@goldstandard.org
- 2.1.2 | Forms with incomplete/inaccurate information shall not be considered for review and shall be returned to the applicant.

3| Implementation of deviation decision

- 3.1.1 | The decision prescribed in this form shall be considered by the entity applying for deviation for further course of action.

Table of Content

1 General Guidelines.....	2
1.1 Applicability.....	2
2 Submission of deviation form	2
3 Implementation of deviation decision	2
4 Decision summary	4
4.1 General information.....	4
4.2 Decision.....	4
4.3 Applicability to other activities	4
5 Deviation Request Details.....	6
5.1 Submitted by.....	6
5.2 Details of the entity and its representative submitting the form	6
5.3 Background information	6
5.4 Project deviation history	7
6 Deviation detail	7
6.1 Standard document reference.....	7
6.2 Description of the deviation	7
6.3 VVB information.....	10
6.4 VVB's assessment	10
6.5 Documents:	11

4| Decision summary

To be completed by Gold Standard

4.1 | General information

DEVIATION REFERENCE NUMBER	DEVRQ-417
Date of decision	16/05/2026
Decision	☒ Approved [No precondition to apply the deviation decision] ☐ Conditionally approved [Decision is subject to compliance with the precondition defined below] ☐ Not approved [reason for rejection is provided in decision summary]

4.2 | Decision

4.2.1 | Decision Summary

The deviation request for the delay of the monitoring survey for MP3 is approved.

4.2.2 | Directions for the project developer/CME, if applicable

The CME shall note that the decision is based on the information provided in the deviation request form and only against the applicable standard requirement quoted in the form below by the project developer. The CME shall comply with all other applicable standard requirements until unless specifically mentioned in the deviation decision. The CME shall document the deviation request, its implications, and GS' decision in the appropriate section of the project document

4.2.3 | Directions for the Validation and Verification Body (VVB), if applicable

The VVB shall, through appropriate means at disposal, evaluate that the project's compliance with the above-mentioned conditions and provide VVB opinion in the verification report.

4.2.4 | Directions for the Gold Standard, if applicable

The review team shall check the information reported by the project developer and the VVB for appropriateness, accuracy and consistency.

4.3 | Applicability to other activities

Is this decision applicable to other projects under similar circumstances? ¹	☐ Yes ☒ No
---	--

¹ If this is marked yes, this means that any other project (PoA/VPA/PA) in similar situation may apply the decision of this deviation to their project as well. The project developer/VVB may quote this deviation decision in the relevant certification documents. This is relevant to only the projects which have already entered the certification cycle with GS4GG.

Does this decision set a precedent for future projects with similar circumstances? ²	☐ Yes ☒ No
Precedent details (if applicable to other activities)	

Precedent details (if applicable to other activities)

² If this is marked yes, it means the decision is valid to all the future projects which will enter the certification cycle with the similar situation. This is relevant to all the projects which are not yet design certified with GS4GG or have not submitted their documents for preliminary review yet.

5| Deviation Request Details

To be completed by the entity requesting deviation - (Project Developer/Coordinating and Managing Entity and/or VVB)

5.1 | Submitted by

- ☒ Project developer
☐ CME
☐ VVB
☐ Other (specify...)

5.2 | Details of the entity and its representative submitting the form

Item	Information
Name ³ :	PETER SCOTT
Email ID ⁴ :	peter.scott@burnmfg.com
Organisation: ⁵ :	BURN Manufacturing Co.
Are you an authorized project participant as per the cover letter submitted for this activity?	☒ Yes ☐ No

5.3 | Background information

Type	☐ Project activity	☐ PoA GSXXXX	☒ VPA
GS ID	GSXXXX GSXXXX	GS XXXX GS XXXX	GS 11671 GS XXXX
Host country(ies)	Nigeria		
Project Title	GS10789 GS11671 VPA-61: Efficient and Clean cooking for Households in Nigeria		
Registry link	https://assurance-platform.goldstandard.org/project-documents/GS11671		
Scale	☐ Microscale (GS) ☐ Small scale ☒ Large scale ☐ Other, if applicable please specify below <i>Insert text here</i>		
Certification Status and corresponding	☐ Listed	☐ Certified design	☒ Certified project ☐ Other <i>If other, specify here</i>

³ Name of the individual representing the entity requesting the deviation

⁴ Email ID for further correspondence related to the deviation request

⁵ The name of the entity requesting the deviation

date of latest status	dd/mm/yyyy	dd/mm/yyyy	21/03/2025	dd/mm/yyyy
Applied version of Standard	☒ GS4GG ☐ Previous version of Gold Standard			
	Version no.			
	☐ 1.0	☐ 1.1	☐ 1.2	☐ 2.2
Transition date, if applicable	From previous GS version to GS4GG		dd/mm/yyyy	
	From another standard to GS4GG		dd/mm/yyyy	
	Name of another standard	☐ CDM ☐ Other Name of the Standard – Insert text here		
Applicable activity requirement	☐ Renewable Energy Activity Requirements ☒ Community Services Activity Requirements ☐ Land-use and Forests Activity Requirements ☐ Other Insert name here			

5.4 | Project deviation history

Is there any deviation request(s) for the same project activity/PoA/VPA(s) that was submitted to GS previously? If yes, below information.	☐ Yes ☒ No
Reference number	
Status of the deviation	☐ Approved ☐ Rejected ☐ Under review
Were there any findings (CL, CAR, FAR) raised during any certification step (preliminary review, design and/or performance review etc.) that are relevant to this deviation request?	☐ Yes ☐ No Summary of the findings Summary of the CL, CAR, FAR not more than 200 words. Include reference to document, page number

6 | Deviation detail

To be completed by the entity requesting deviation (Project Developer/Coordinating and Managing Entity and/or VVB)

6.1 | Standard document reference

Standard document reference	Title	Deviation Request Requirements and Procedures
	Version	V2.0
	Paragraph	Paragraph 1.1.1

6.2 | Description of the deviation

Title	Request for Deviation for delay in usage survey
-------	---

Confirm the nature of changes related to deviation	☒ Temporary (e.g. not expected to occur beyond one monitoring period)	☐ Permanent (e.g. deviation from requirements prior to submission for certification)
	No change	
Relevant monitoring period, if applicable	Start date	02/03/2024
	End date	30/06/2025
Summarise the changes	Background and Context BURN conducted the usage/monitoring survey for MP2 between 01 March 2024 and 04 June 2024. The subsequent usage survey for MP3 was conducted between 30 June 2025 and 19 August 2025. Under TPDDTEC Version 3.1, project developers are required to conduct usage surveys on an annual basis to monitor stove usage and performance. However, in this instance, the interval between the two surveys exceeded 12 months due to logistical and operational challenges encountered during the planning and execution of field activities. Despite this delay, the monitoring approach remains conservative and does not compromise the integrity of emission reduction estimates. Deviation Basis 1. Applicable Methodological Provisions (TPDDTEC v3.1): TPDDTEC Version 3.1 requires periodic (annual) usage surveys to ensure that monitored usage reflects actual field conditions. However, the methodology does not explicitly define whether “annual” refers to once per calendar year or strictly within a rolling 12-month interval. This ambiguity allows for reasonable interpretation in implementation. 2. Conservativeness of Monitoring Results: The delay in conducting the MP3 usage survey introduces a conservative bias rather than any risk of overestimation. This is supported by established field observations that improved cookstove usage and performance tend to decline over time due to: • Wear and tear of stove components, • Reduced thermal efficiency over time, • Changes in user behavior and adoption patterns. As a result, conducting the survey at a later stage is expected to capture lower usage rates compared to a survey conducted within a shorter interval. This ensures that: • The dataset reflects actual field conditions, • Data quality and reliability are maintained, • Emission reduction estimates remain conservative and credible. Reason for Delay	

	The delay in conducting the MP3 usage survey was due to logistical and operational constraints, including challenges related to field team mobilization, scheduling, and coordination across project locations. These constraints resulted in the survey being conducted between June 2025 and August 2025, beyond the 12-month interval (26 days later) from the previous survey. Proposed Deviation BURN respectfully requests Gold Standard's approval to: • Accept the usage survey conducted for MP3 (June 2025 to September 2025) as valid, noting that surveys were conducted on an annual basis in line with TPDDTEC v3.1 requirements, notwithstanding the 12-month interval between the preceding and current survey periods, • Allow the use of the collected dataset for emission reduction calculations for MP3. Safeguards and Integrity The proposed deviation remains fully aligned with Gold Standard principles: • Environmental Integrity: Conservative bias in usage estimates due to delayed survey timing, • Methodological Consistency: Monitoring conducted in accordance with TPDDTEC v3.1 survey and sampling requirements, • Transparency: Full disclosure of the delay and justification, • No Risk of Over-crediting: Emission reductions are not inflated. Conclusion In view of the above, BURN respectfully requests Gold Standard's approval for a temporary deviation to accept the delayed usage survey for MP3. The deviation ensures that monitoring results remain conservative, transparent, and methodologically sound, while accommodating practical implementation challenges without compromising the integrity of the project.
Reason for deviation	The deviation is due to logistical and operational challenges in field implementation, including difficulties in team mobilization, scheduling, and coordination across project locations, which delayed the timely conduct of the usage survey.

Proposed resolution	To seek approval to accept the delayed MP3 usage survey and allow the use of the collected data for emission reduction calculations, as it remains conservative and methodologically compliant.						
Is there any potential temporary or permanent impact of deviation on other aspects of the project?	Select the relevant area: ☐ Project design ☐ Local stakeholder consultation ☐ Safeguarding principles ☐ SDG assessment ☐ Regulatory compliance ☐ Additionality ☒ Applicability of methodology ☐ Annual emission reduction volume (<i>if yes, fill the table below</i>) <table border="1"> <thead> <tr> <th>Annual emission reduction/removal before applying deviation</th><th>Annual emission reduction/removal after applying deviation</th></tr> </thead> <tbody> <tr> <td>XYZ tCO₂e</td><td>XYZ tCO₂e</td></tr> <tr> <td></td><td></td></tr> </tbody> </table> ☐ any other matrix, please specify...	Annual emission reduction/removal before applying deviation	Annual emission reduction/removal after applying deviation	XYZ tCO ₂ e	XYZ tCO ₂ e		
Annual emission reduction/removal before applying deviation	Annual emission reduction/removal after applying deviation						
XYZ tCO ₂ e	XYZ tCO ₂ e						
Summary of the impact	There is no impact on the project design, safeguarding principles, SDG assessment, data quality, potential risk or any other aspects of the project due to this deviation. The VPA will abide by all Gold Standard requirements.						
Insert text here							

6.3 | VVB information

Is a VVB opinion on the deviation request required? <i>VVB opinion shall be included, where required by the requirements under Deviations Request Requirements and Procedures or request is submitted by the VVB.</i>	Yes ☐ No ☒ <i>If answer is yes, fill the information in section 6.4 below.</i>
---	---

6.4 | VVB's assessment

The below information is to be completed by VVB, if applicable.		
VVB's assessment of deviation request	Please confirm the nature of deviation.	
VVB's assessment of impact of deviation request		
VVB recommendation		
VVB details	VVB name:	
	Auditor name(s):	
	Email (s):	

6.5 | Documents:

6.5.1 | List of documents provided (*note that once a decision has been made by Gold Standard, this deviation form will be made public on the Gold Standard website. Kindly refrain from including any confidential information in the form.*)

N/A

DOCUMENT HISTORY

VERSION NUMBER	RELEASE DATE	DESCRIPTION
6.0	12.11.2024	Editorial and structural changes to the template
5.0	11.04.2022	Additional information added: - date of listing, design certification, transition - standard version - specific reference to a requirement deviated from - any previous deviations/design changes approved - Guidance on VVB opinion
4.0	14.01.2021	Editorial changes
3.0	16.07.2020	Editorial changes
2.0	03.05.2018	Editorial changes
1.0	01.07.2017	Initial adoption