

TEMPLATE

DEVIATION REQUEST FORM

PUBLICATION DATE **14.1.2021**

Version **4.0**

A. To be completed by Gold Standard

1| Decision

1.1 | Date – 17/06/2022

1.2 | Decision

Considering that the extension is only 22 days, this deviation request is **approved**.

The PD shall document the deviation request, its implications, and deviation decision in the appropriate section of the MR.

1.3 | Is this decision applicable to other project activities under similar circumstances?

No

B. To be completed by the Project Developer/Coordinating and Managing Entity and/or VVB requesting deviation (Submit deviation request form in Microsoft Word format)

2| Background information

Deviation Reference Number	DEV_264	
Date of decision	17/06/2022	
Precedent (YES/NO)	NO	
Precedent details	N/A	
Date of submission	31/03/2022	
Project/PoA/VPA	Project	ID – GS1090
	<input type="checkbox"/> PoA	ID – GSXXXX
	<input type="checkbox"/> VPA	ID – GSXXXX
Project/PoA/VPA title	Sayalar Wind Farm Capacity Addition	
Location of project/PoA/VPA	Manisa, Turkey	
Scale of the project/PoA/VPA	<input type="checkbox"/> Microscale <input type="checkbox"/> Small scale <input checked="" type="checkbox"/> Large scale	
Gold Standard Impact Registry link of the project/PoA/VPA	https://registry.goldstandard.org/projects/details/1423	
Status of the project/PoA/VPA	<input type="checkbox"/> New <input type="checkbox"/> Listed <input type="checkbox"/> Certified design <input checked="" type="checkbox"/> Certified project	
Title/subject of deviation	22 days acceptance request	
Specify applicable rule/requirements/methodology and version number		
Specify the monitoring period for which the request is valid (if applicable)	Start date 01/11/2019 End date 22/11/2021	
Submitted by	Contact person name:Cagla Balci Eris	
	Email ID: cagla@ruzgardanismanlik.net	
	Organisation: Ruzgar Danismanlik	
	Project participant: Yes x NO <input type="checkbox"/>	
Validation and Verification body (VVB opinion shall be included, where required by the applicable rules/requirements or request is submitted by the VVB).	Yes <input type="checkbox"/> NO <input type="checkbox"/> If yes; VVB name: Auditor name:	

3| Deviation detail

3.1 | Description of the deviation:

**Guidance* Use the space below to describe the deviation and substantiate the reason for requesting deviation from applicable rules/requirements. Please include all relevant information in support of the request. You are requested to follow the principles for requesting deviations, given in the [Deviation Approval Procedure/Design Change Requirements](#).*

3.1.1 | Deviation detail (to be completed by Project developer):

PP has received the III round performance review for Sayalar Wind Farm Capacity Addition Project (GS1090) on 28th of March 2022 . The reviewer has asked that 22 days deviation of ER calculation. "it has been determined that ERs shall be claimed prior to 2 years of VVB on-site visit. Please justify the MP start date of 01/11/2019 whereas VVB site visit date is 22/11/2021 -22 days deviation.The comment/request is open."

Could you please approved this 22 days is acceptable for you and issued credits between 01/11/2019 and 22/11/2021?

3.1.2 | VVB opinion (to be completed by VVB, if applicable):

3.2 | Assessment of the deviation:

**Guidance* Use the space below to describe how the deviation complies with the requirements, and, where applicable, the accuracy, completeness and conservativeness is ensured. Please include all relevant information in support of the request.*

3.2.1 | Deviation assessment (to be completed by Project developer):

.....

3.2.2 | VVB opinion (to be completed by VVB, if applicable):

.....

3.3 | Impact of the deviation:

**Guidance* Use the space below to describe the impact of the deviation on project design, safeguarding principles assessment, SDG assessment, emissions reductions, monitoring frequency, data quality, potential risk or any other relevant aspect of the project. Please substantiate the impact assessment with relevant and verifiable data/information.*

3.3.1 | Impact assessment (to be completed by Project developer):

.....

3.3.2 | VVB opinion (to be completed by VVB, if applicable):

.....

3.4 | Documents:

**Guidance* List of documents provided (note that once a decision has been made by Gold Standard, this deviation form along with supporting documents will be made public on the Gold Standard website. If any of the supporting documents are confidential, please indicate here to ensure they are omitted.)*