



DEVIATION REQUEST FORM

PUBLICATION DATE **11.04.2021**

Version **5.0**

A. To be completed by Gold Standard

1 | Decision

1.1 | Date – 09/10/2023

1.2 | Decision

The deviation request is not approved.

PD shall follow P&R v1.2 paragraph 5.1.45 and must undergo Design Certification Renewal. This process shall begin (defined by the submission of a Renewal opinion by a VVB for Design Review to Gold Standard) no later than the last date of current certification cycle.

1.3 | Is this decision applicable to other project activities under similar circumstances?

No.

B. To be completed by the Project Developer/Coordinating and Managing Entity and/or VVB requesting deviation (Submit deviation request form in Microsoft Word format)

2| Background information

Deviation Reference Number	DEV_527	
Date of decision	09/10/2023	
Precedent (YES/NO)	No	
Precedent details	N/A	
Date of submission	14/09/2023	
Project/PoA/VPA	Project	ID – GS353
	<input type="checkbox"/> PoA	ID – GSXXXX
	<input type="checkbox"/> VPA	ID – GSXXXX
Project/PoA/VPA title	TUZLA 7.5 MW GEOTHERMAL POWER PLANT	
Date of listing		
GS Standard version applicable	GS4GG	
Date of transition to GS4GG (if applicable)	N/A	
Date of transition to Gold Standard from another standard (e.g. CDM) (if applicable)	N/A	
Date of design certification/inclusion (if applicable)	20/11/2008	
Location of project/PoA/VPA	Host country(ies)	
Scale of the project/PoA/VPA	<input type="checkbox"/> Microscale <input checked="" type="checkbox"/> Small scale <input type="checkbox"/> Large scale	
Gold Standard Impact Registry link of the project/PoA/VPA	https://registry.goldstandard.org/projects/details/593	
Status of the project/PoA/VPA	<input type="checkbox"/> New <input type="checkbox"/> Listed <input type="checkbox"/> Certified design <input checked="" type="checkbox"/> Certified project	
Title/subject of deviation	Extension of submitting CP renewal documents	
Specify applicable rule/requirements/methodology, with exact paragraph reference and version number		
Specify the monitoring period for which the request is valid (if applicable)	Start date	End date
Submitted by	Contact person name: SILA DURAN	
	Email ID: sila@sekansdanismanlik.com	
	Organisation: SEKANS DANIŞMANLIK	

	Project participant: Yes <input type="checkbox"/> No <input type="checkbox"/>
Validation and Verification body (VVB opinion shall be included, where required by the applicable rules/requirements or request is submitted by the VVB).	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes; VVB name: Re-Carbon (for CP renewal) VVB Staff name(s):
Any previous deviations approved for the same project activity/PoA/VPA(s)?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>

3 | Deviation detail

3.1 | Description of the deviation:

**Guidance* Use the space below to describe the deviation and substantiate the reason for requesting deviation from applicable rules/requirements. Please include all relevant information in support of the request. You are requested to follow the principles for requesting deviations, given in the [Deviation Approval Procedure/ Design Change Requirements](#).*

3.1.1 | Deviation detail (to be completed by Project developer):

The project activity’s CP renewal has been completed on 08/12/2022. Project activity’s crediting period is 13 Jan 2022 and end 13/01/2024. PD is seeking for issuing the first credits of the project.

Verification of the period, 13 Jan 2022 and 13/01/2024 will be conducted. However, CP 2 is ending on 13/01/2024. We have to submit reports for CP renewal for CP3 before 13/01/2024 not to lose any asset, however it would be unreasonable to execute the revalidation of the project before the verification of CP 2.

Therefore, PD request a deadline extension for submitting CP renewal documents for CP3.

3.1.2 | VVB opinion (to be completed by VVB, if applicable):

**Guidance* If required by SustainCERT or Gold Standard for this particular deviation, please add here the VVB’s opinion.*

.....

3.2 | Assessment of the deviation:

**Guidance* Use the space below to describe how the deviation complies with the requirements, and, where applicable, the accuracy, completeness and conservativeness is ensured. Please include all relevant information in support of the request.*

3.2.1 | Deviation assessment (to be completed by Project developer):

Since all parameters are standardized and monitored through the same data quality, there would not be a negative impact on the assessments.

3.2.2 | VVB opinion (to be completed by VVB, if applicable):

**Guidance* If required by SustainCERT or Gold Standard for this particular deviation, please add here the VVB's opinion.*

.....

3.3 | Impact of the deviation:

**Guidance* Use the space below to describe the impact of the deviation on project design, safeguarding principles assessment, SDG assessment, emissions reductions, monitoring frequency, data quality, potential risk or any other relevant aspect of the project. Please substantiate the impact assessment with relevant and verifiable data/information.*

3.3.1 | Impact assessment (to be completed by Project developer):

Since all parameters are standardized and monitored through the same data quality, there would not be a negative impact on the assessments.

3.3.2 | VVB opinion (to be completed by VVB, if applicable):

**Guidance* If required by SustainCERT or Gold Standard for this particular deviation, please add here the VVB's opinion.*

.....

3.4 | Documents:

**Guidance* List of documents provided (note that once a decision has been made by Gold Standard, this deviation form along with supporting documents will be made public on the Gold Standard website. If any of the supporting documents are confidential, please indicate here to ensure they are omitted.)*

Version number	Release date	Description
5	11.04.2022	Additional information added: <ul style="list-style-type: none"> - date of listing, design certification, transition - standard version - specific reference to a requirement deviated from - any previous deviations/design changes approved Guidance on VVB opinion
4	14.01.2021	
3	16.07.2020	
2	03.05.2018	
1	01.07.2017	Initial adoption